

SAFETY DATA SHEET

Revision: 1
Issue Date:
Page 1 of 9

THE CAULK MAN 6901 Exterior Construction Sealant

Section 1: Product and Company Identification

The Caulk Man, LLC.

Baltimore, MD

Phone: 410-650-4485

info@thecaulkman.com

Product Identifier: 80001

Recommended Use: Adhesive/sealant

Restrictions on Use: None

Emergency Phone Number

INFOTRAC (International): 1-352-323-3500

INFOTRAC (North America): 1-800-535-5053

Section 2: Hazard(s) Identification

GHS Classification:

Skin Corrosion/Irritation Category 2

Serious Eye Damage/Irritation Category 2

Skin Sensitization Category 1

GHS Label Elements:

Symbol(s):



Signal Warning:

Hazard Statement(s):

Warning

Causes skin irritation

Causes serious eye irritation

May cause an allergic skin reaction

Precautionary Statement(s):

Prevention:

Wash face, hands and any exposed skin thoroughly after handling.
Avoid breathing dust/fume/gas/mist/vapors/spray.
Contaminated work clothing must not be allowed out of the workplace.
Wear protective gloves/protective clothing/eye protection/face protection.

Response:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

IF ON SKIN: Wash with plenty of soap and water
Take off contaminated clothing and wash before reuse
If skin irritation or rash occurs: Get medical advice/attention

Disposal:

Dispose of contents/container to an approved waste disposal plant



SAFETY DATA SHEET

Product Identifier: 80001

Revision: 1

Section 3: Composition/Information on Ingredients		
Chemical Name	CAS No.	Weight %
Proprietary	Proprietary	40-50
Proprietary	Proprietary	10-20
Proprietary	Proprietary	<1
Proprietary	Proprietary	< 1
Proprietary	Proprietary	< 1

Section 4: First-Aid Measures	
Inhalation:	IF INHALED: Remove to fresh air
Skin Contact:	IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention.
Eye Contact:	IF I EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion:	IF SWALLOWED: Clean mouth with water and drink plenty of water afterwards.
Most Important Symptoms and Effects: May be harmful if swallowed. Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction.	
Indication of any immediate medical attention and special treatment needed:	
Notes to physician:	Treat symptomatically

Section 5: Fire-Fighting Measures	
Suitable Extinguishing Media:	Carbon Dioxide (CO ₂) Dry Chemical Foam Water Spray (fog)
Unsuitable Extinguishing Media:	Not determined
Specific Hazards Arising from the Chemical:	Products may burn, but do not ignite readily.
Hazardous Combustion Products:	Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.
Protective equipment and precautions for firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Move material from fire area if it can be done without risk. Cool containers with water. Avoid inhalation of vapors or combustion by-products. Use extinguishing agents appropriate for surrounding fire. Dike for later disposal. Stay upwind and keep out low areas.	



SAFTEY DATA SHEET

Product Identifier: 80001

Revision: 1

Section 6: Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Personal Precautions: Wear personal protective clothing and equipment, see Section 8. Keep unnecessary people away, isolate hazard area and deny entry. Only personnel trained for the hazards of this material should perform clean up and disposal.

Environmental Precautions: Avoid release to the environment.

Methods and Materials for Containment and Cleaning Up

Methods for Containment: Prevent further leakage or spillage if safe to do so.

Methods for Clean Up: Ventilate the area. Stop leak if possible without personal risk. Absorb with sand or other non-combustible material. Collect spilled material in appropriate container for disposal.

Section 7: Handling and Storage

Precautions for Safe Handling

Advice on Safe Handling Wash face, hands and any exposed skin thoroughly after handling. Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing and eye/face protection.

Conditions for Safe Storage, including and incompatibilities

Storage Conditions: Store and handle in accordance with all current regulations and standards. Keep container tightly closed. Keep separated from incompatible substances.

Incompatibilities: Strong acids. Strong oxidizing agents.

Section 8: Exposure Controls/Personal Protection

Exposure Guidelines

Chemical Component	CAS No.	Exposure Limits
Proprietary	Proprietary	OSHA PEL: TWA: 15 mg/m3 (total dust) TWA: 5 mg/m3 (respirable fraction) TWA (vacated): 15 mg/m3 (total dust) TWA (vacated): 5 mg/m3 (respirable fraction) NIOSH IDLH: TWA: 10 mg/m3 (total dust) TWA: 5 mg/m3 (respirable fraction)



SAFTEY DATA SHEET

Product Identifier: 80001

Revision: 1

Proprietary	Proprietary	NIOSH IDLH: TWA: 10 mg/m3 (total dust) TWA: 5 mg/m3 (respirable dust)	
Proprietary	Proprietary	ACGIH TLV STEL: 0.2 mg/m3 Sn TWA: 0.1 mg/m3 Sn S*	
		OSHA PEL TWA: 0.1 mg/m3 Sn (vacated) TWA: 0.1 mg/m3 Sn (vacated) S*	
		NIOSH IDLH IDLH: 25 mg/m3 Sn TWA: 0.1 mg/m3 except Cyhexatin Sn	
Appropriate Engineering Controls		Provide local exhaust ventilation system. Ensure compliance with applicable exposure limits. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.	
Individual protection measures, such as personal protective equipment			
Eye/Face Protection:		Wear splash resistant safety goggles with a face shield.	
Skin and Body Protection:		Wear appropriate chemical resistant clothing. Wear appropriate chemical resistant gloves.	
Respiratory Protection:		Use an approved respirator if exposure limits are exceeded or if irritation develops or persists.	
General Hygiene Considerations:		Handle in accordance with good industrial hygiene and safety practice.	
Section 9: Physical and Chemical Properties			
Physical State:	Liquid	Appearance:	Paste
Color:	In accordance with product description		
Odor:	Odorless	Odor Threshold:	Not determined
pH:	Not determined	Melting Point:	Not determined
Boiling Point:	Not determined	Flash Point:	>93.3°C (200°F)
Evaporation Rate:	Not determined	Flammability (Sold, Gas) Liquid-Not applicable	
Flammability Limits in Air: Upper Limit: Not determined Lower Limit: Not determined			
Vapor Pressure:	Not determined	Vapor Density:	1.3-1.7
Density:	13.8 lb/gal	Water Solubility:	Slightly soluble
Solubility in other			
Solvents:	Not determined	Partition Coefficient:	Not determined
Auto-ignition Temp.:	Not determined	Decomposition Temp.:	Not determined
Kinematic Viscosity:	750,000 cps	Dynamic Viscosity:	Not determined
Explosive Properties:	Not determined	Oxidizing Properties:	Not determined



SAFTEY DATA SHEET

Product Identifier: 80001

Revision: 1

Section 10: Stability and Reactivity	
Reactivity:	Not reactive under normal conditions.
Chemical Stability:	Stable under recommended storage conditions.
Possibility of Hazardous Reactions:	None under normal processing.
Hazardous Polymerization:	Will not polymerize
Conditions to Avoid:	Avoid heat, sparks, open flames and other ignition sources. Avoid contact with incompatible materials.
Incompatible Materials:	Strong acids. Strong oxidizing agents.
Hazardous Decomposition Products:	Upon decomposition, this product may yield oxides of nitrogen and ammonia, carbon dioxide, carbon monoxide, and other low molecular weight hydrocarbons.

Section 11: Toxicological Information					
Information on Likely Routes of Exposure					
Eye Contact:	Avoid eye contact				
Skin Contact:	May be harmful in contact with skin				
Inhalation:	Do not inhale				
Ingestion:	May be harmful if swallowed				
Component Information					
Component	CAS No.	Results	Species	Dose	Exposure
Proprietary	Proprietary	LD50 Oral	Rat	=6,450 mg/kg	N/A
Proprietary	Proprietary	LD50 Oral	Rat	=3,750 mg/kg >2 g/kg	N/A
Proprietary	Proprietary	LD50 Oral	Rat	=2,413 mg/kg =7,460 µL/kg	N/A
Proprietary	Proprietary	LD50 Oral LD50 Dermal	Rat Rabbit	=7,340 µL/kg =3,360 µL/kg	N/A
Proprietary	Proprietary	LD50 Oral LD50 Dermal	Rat Rabbit	=4,600 mg/kg >5 g/kg	N/A
Proprietary	Proprietary	LD50 Oral	Rat	20,000 mg/kg	N/A
Proprietary	Proprietary	LD50 Oral	Rat	>2,325 mg/kg	N/A
Proprietary	Proprietary	LC50 Inhalation	Rat	=500 mg/m3	4 hr



SAFTEY DATA SHEET

Product Identifier: 80001

Revision: 1

Information on physical, chemical, and toxicological effects	
Symptoms:	Please see Section 4 of the SDS for symptoms
Delayed and immediate effects as well as chronic effects from short and long-term exposure	
Skin Corrosion/Irritation:	Causes skin irritation
Serious Eye	Causes serious eye irritation
Damage/Irritation:	
Sensitization:	May cause an allergic skin reaction.
Carcinogenicity:	Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
Numerical Measures of Toxicity	
The following values are calculated based on chapter 3.1 of the GHS document .	
ATEmix (oral):	4,086.00 mg/kg
ATEmix (dermal):	3,098.00 mg/kg
ATEmix (inhalation-dust/mist):	5.1 mg/L

Section 12: Ecological Information	
Ecotoxicity	
The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.	
Persistence/Degradability:	
Not determined	
Bioaccumulation: Not determined	
Mobility:	
Not determined	
Other Adverse Effects:	
Not determined	

Section 13: Disposal Considerations		
Waste Treatment Methods		
Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.	
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.	
California Hazardous Waste Status		
Chemical Component	CAS No.	California Hazardous Waste Status
Proprietary	Proprietary	Toxic



SAFTEY DATA SHEET

Product Identifier: 80001

Revision: 1

Section 14: Transport Information

Note

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT Not regulated

IATA Not regulated

IMDG Not regulated

Section 15: Regulatory Information

International Inventories

Chemical Name	TSCA	DSL/NDSL	EINECS/ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Proprietary	X	X	X	X	X	X	X	X
Proprietary				X				X
Proprietary	X	X	X	X	X	X	X	X
Proprietary	X	X	X	X	X	X	X	X
Proprietary	X	X	X	X	X	X	X	X
Proprietary	X	X	X	X	X	X	X	X
Proprietary	X	X	X	X	X	X	X	X
Proprietary	X	X	X	X	X	X	X	X
Proprietary	X	X	X	X	X	X	X	X
Proprietary	X	X	X	X	X	X	X	X



SAFTEY DATA SHEET

Product Identifier: 80001

Revision: 1

Legend:

- TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory
- DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List
- EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
- ENCS** - Japan Existing and New Chemical Substances **IECSC** - China Inventory of Existing Chemical Substances
- KECL** - Korean Existing and Evaluated Chemical Substances
- PICCS** - Philippines Inventory of Chemicals and Chemical Substances **AICS** - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 311/312 Hazard Categories

- Acute Health Hazard: No
- Chronic Health Hazard: Yes
- Fire Hazard: No
- Sudden Release of Pressure Hazard: No
- Reactive Hazard: No

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

US State Right-to-Know Regulations

Chemical Name	CAS No.	New Jersey	Massachusetts	Pennsylvania
Proprietary	Proprietary	X	X	X



SAFETY DATA SHEET

Product Identifier: 80001

Revision: 1


Section 16: Other Information

Issue Date: 03/5/2018 Revision Date: 03/8/2018

Revision No. 1

NFPA Ratings:

Health: N/A
Fire: N/A
Reactivity: N/A



Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

HMIS III:

HEALTH	N/A
FLAMMABILITY	N/A
PHYSICAL HAZARD	N/A

0 = Not Significant, 1 = Slight, 2 = Moderate, 3 = High, 4 = Extreme, * = Chronic

Key/Legend:

AICS (Australia); DSL (Canada); IECSC (China); REACH (European Union); ENCS (Japan); ISHL (Japan); KECI (Korea); NZIoC (New Zealand); PICCS (Philippines); TCSI (Taiwan); TSCA (USA); ACGIH – USA. ACGIH Threshold Limit Values (TLV); NIOSH REL – USA. NIOSH Recommended Exposure Limits; OSHA P0 – USA. OSHA – TABLE Z-1 Limits for Air Contaminants – 1910.1000; OSHA Z-1 – USA. Occupational Exposure Limits (OSHA) – Table Z-1 Limits for Air Contaminates; OSHA Z-3 – USA. Occupational Exposure Limits (OSHA) – Table Z-3 Mineral Dusts; ACGIH / TWA – 8-hour, time-weighted average; NIOSH REL / TWA – Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek; NIOSH REL / ST – STEL – 15-minute TWA exposure that should not be exceeded at any time during a workday; OSHA P0 / TWA - 8-hour, time-weighted average; OSHA Z-1 / TWA - 8-hour, time-weighted average; OSHA Z-3 / TWA - 8-hour, time-weighted average

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Document